


Symbol	Count	Hole Size	Plated	Hole Type
○	5	3,000mm (118,11mil)	NPTH	Round
⊕	6	2,700mm (106,30mil)	PTH	Round
⊖	6	4,400mm (173,23mil)	NPTH	Round
☆	8	1,070mm (42,13mil)	PTH	Round
☆	14	1,700mm (66,93mil)	PTH	Round
⊗	15	0,890mm (35,04mil)	PTH	Round
⊗	24	0,700mm (27,56mil)	PTH	Round
▽	30	1,100mm (43,31mil)	PTH	Round
□	87	1,000mm (39,37mil)	PTH	Round
⊗	247	0,250mm (9,84mil)	PTH	Round
	442 Total			

Total print thickness: 1.6 mm
 Finish: Selective Gold
 Soldermask Color: Green
 Silkscreen Color: White
 Dimensions in mm

Min. drill endsize: 0.25 mm
 Min. clearance: 0.15 mm
 Min. track width: 0.15 mm
 Drills pth: +/- 0.10 mm
 Drills npth: +/- 0.05 mm
 Board outline: +/- 0.2 mm



Microkey BU
 Industrieweg 28
 PO BOX 804 TG
 Zuidhorn
 Phone +31 594 503020

ENGINEER:
TLa
 PCB DESIGNER:
TLa
 DATE:
8-9-2017
 FILE NAME:
MLA-0387-P0.PcbDoc

TITLE:
HSB MRTS Kathode MCP
 PART NO:
MLA-0387-P0-PA3
 DWG NO:
SCALE:
A3

