


Symbol	Count	Hole Size	Plated	Hole Type
○	5	3,000mm (118,11mil)	NPTH	Round
⊕	6	2,700mm (106,30mil)	PTH	Round
⊖	6	4,400mm (173,23mil)	NPTH	Round
★	8	1,070mm (42,13mil)	PTH	Round
☆	14	1,700mm (66,93mil)	PTH	Round
⊗	15	0,890mm (35,04mil)	PTH	Round
⊗	24	0,700mm (27,56mil)	PTH	Round
▽	37	1,100mm (43,31mil)	PTH	Round
□	87	1,000mm (39,37mil)	PTH	Round
✕	243	0,250mm (9,84mil)	PTH	Round
	<b>445 Total</b>			

Total print thickness: 1.6 mm  
 Finish: Selective Gold  
 Soldermask Color: Green  
 Silkscreen Color: White  
 Dimensions in mm

Min. drill endsize: 0.25 mm  
 Min. clearance: 0.15 mm  
 Min. track width: 0.15 mm  
 Drills pth: +/- 0.10 mm  
 Drills npth: +/- 0.05 mm  
 Board outline: +/- 0.2 mm



**Microkey BU**  
 Industrieweg 28  
 PO BOX 804 TG  
 Zuidhorn  
 Phone +31 594 503020

ENGINEER:  
TLa  
 PCB DESIGNER:  
TLa  
 DATE:  
1-9-2017  
 FILE NAME:  
MLA-0387-P0.PcbDoc

TITLE:  
HSB MRTS Kathode MCP  
 PART NO:  
MLA-0387-P0-PA2  
 DWG NO:  
SCALE:  
A3

